

From: Mike Dunlap [mdunlap@karco.com]  
Sent: Friday, January 20, 2012 11:55 AM  
To: kchiu@karco.com  
Subject: FW: ZAP Xebra Testing

Best regards,

Michael L. Dunlap  
Director of Operations  
KARCO Engineering, LLC.  
(760) 246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com -----Original Message-----

From: Rajakaruna Joe [mailto:jrajakaruna@zapworld.com]  
Sent: Tuesday, January 17, 2012 12:07 PM  
To: Steve Schneider; Michael Ringstad  
Cc: Wenny Jiang; Frank He; Alex Campbell; Jessica; Jeff Schneider; mdunlap@karco.com  
Subject: Re: ZAP Xebra Testing

Hello Mike,

Can we get this PO price quote signed and sent back to KARCO to start testing. They did receive the payment, but need the signature to start testing.

best regards,  
Joe Rajakaruna

On 1/4/12, Kelsey Chiu <kchiu@karco.com> wrote:

> Joe,

>

> Attached is the quotation that you requested. If you have any  
> questions please let me know.

>

>

> Best Regards,

>

> Kelsey Chiu  
> Engineering Department Supervisor  
> KARCO Engineering, LLC.  
> (760) 246-1672

>

> CONFIDENTIALITY NOTICE: The information contained in this email  
> message is protected under the Electronic Communications Privacy Act, 18 U.S.C.  
> 2310-2321. It is intended only for the use of the individual named  
> above

and  
> privileges are not waived by virtue of this having been sent by email.  
> If the person actually receiving this email or any other reader is not  
> the named recipient, or the employee or agent responsible to deliver  
> it to the named recipient, any use, distribution or copying of the  
> communication is strictly prohibited. If you have received this email  
> in error, please immediately contact the sender at telephone 760  
> 246-1672 and return the original message to info@karco.com

>  
> -----Original Message-----

> From: Kelsey Chiu [mailto:kchiu@karco.com]  
> Sent: Tuesday, January 03, 2012 4:59 PM  
> To: 'Rajakaruna Joe'  
> Cc: 'Wenny Jiang'; 'Steve Schneider'; 'Michael Ringstad'; 'Frank He';  
> 'Alex  
> Campbell'; 'Jessica'; 'Jeff Schneider'; 'mdunlap@karco.com'  
> Subject: RE: ZAP Xebra Testing

>  
> Joe,

>  
> It does not look like there is anything that should cause a problem. I  
will

> have a quotation ready for you tomorrow. Right now we are looking at  
> approximately 3 weeks to have everything completed. That may be  
> conservative, but we are in the middle of our busiest time right now.

>  
> Best Regards,

>  
> Kelsey Chiu  
> Engineering Department Supervisor  
> KARCO Engineering, LLC.  
> (760) 246-1672

>  
> CONFIDENTIALITY NOTICE: The information contained in this email  
> message is protected under the Electronic Communications Privacy Act, 18 U.S.C.  
> 2310-2321. It is intended only for the use of the individual named  
> above

and  
> privileges are not waived by virtue of this having been sent by email.  
> If the person actually receiving this email or any other reader is not  
> the named recipient, or the employee or agent responsible to deliver  
> it to the named recipient, any use, distribution or copying of the  
> communication is strictly prohibited. If you have received this email  
> in error, please immediately contact the sender at telephone 760  
> 246-1672 and return the original message to info@karco.com

> -----Original Message-----

> From: Rajakaruna Joe [mailto:rajakaruna@zapworld.com]  
> Sent: Tuesday, January 03, 2012 11:33 AM  
> To: kchiu@karco.com  
> Cc: Wenny Jiang; Steve Schneider; Michael Ringstad; Frank He; Alex  
Campbell;  
> Jessica; Jeff Schneider  
> Subject: ZAP Xebra Testing

>

> Hello Kelsey,  
>  
> We are interested to get a price quote for a full FMVSS 122 test plus  
> the brake light indicator test listed in FMVSS 122.  
>  
> Our Xebra vehicle needs to be tested to comply with each of these  
> recall numbers: 1. 09V-177, 2. 09V-385.  
>  
> Recently, we have had this vehicle fitted with a new brake system  
> developed by Wilwood Brake systems and tested at there facility to  
> meet the initial test stopping distance of 43 ft from 30mph. In  
> addition, to this testing we have installed a brake light fault  
> indicator module to indicator the brake system faults light at startup  
> and failure.  
>  
> Please, let us know the cost of the listed tests and lead time to get  
> the testing done.

>  
> best regards,  
> Joe Rajakaruna

> -----  
> No virus found in this message.  
> Checked by AVG - [www.avg.com](http://www.avg.com)  
> Version: 2012.0.1901 / Virus Database: 2109/4720 - Release Date:  
> 01/03/12

>  
> -----  
No virus found in this message.  
Checked by AVG - [www.avg.com](http://www.avg.com)  
Version: 2012.0.1901 / Virus Database: 2109/4747 - Release Date: 01/16/12

>  
> -----  
No virus found in this message.  
Checked by AVG - [www.avg.com](http://www.avg.com)  
Version: 2012.0.1901 / Virus Database: 2109/4755 - Release Date: 01/20/12

**From:** Mike Dunlap [mdunlap@karco.com]  
**Sent:** Thursday, February 09, 2012 3:39 PM  
**To:** kchiu@karco.com  
**Subject:** FW: ZAP

Best regards,

Michael L. Dunlap  
Director of Operations  
KARCO Engineering, LLC.  
(760) 246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

---

**From:** Stu.Seigel@dot.gov [mailto:Stu.Seigel@dot.gov]  
**Sent:** Thursday, February 09, 2012 2:41 PM  
**To:** mdunlap@karco.com  
**Subject:** RE: ZAP

Time to reach full brake application. Need to get on it real quick.

---

**From:** Mike Dunlap [mailto:mdunlap@karco.com]  
**Sent:** Thursday, February 09, 2012 5:38 PM  
**To:** Seigel, Stu (NHTSA)  
**Subject:** RE: ZAP

Too slow of rate?

Best regards,

Michael L. Dunlap  
Director of Operations  
KARCO Engineering, LLC.  
(760) 246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

---

**From:** Stu.Seigel@dot.gov [mailto:Stu.Seigel@dot.gov]  
**Sent:** Thursday, February 09, 2012 2:33 PM  
**To:** mhubbard@karco.com  
**Cc:** kchiu@karco.com; mdunlap@karco.com  
**Subject:** RE: ZAP

Do you have the time trace for these stops. Concerned with the rate of apply.

---

**From:** Matt Hubbard [mailto:mhubbard@karco.com]  
**Sent:** Thursday, February 09, 2012 4:19 PM

**To:** Seigel, Stu (NHTSA)  
**Cc:** kchiu@karco.com; 'Mike Dunlap'  
**Subject:** ZAP

Hi Stu,

Enclosed is two stops for Zap as requested.

Best Regards,

Matthew S. Hubbard  
Quality Assurance Manager  
KARCO Engineering, LLC.  
(760)246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

---

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1913 / Virus Database: 2112/4797 - Release Date: 02/08/12

---

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1913 / Virus Database: 2112/4797 - Release Date: 02/08/12

---

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1913 / Virus Database: 2112/4799 - Release Date: 02/09/12

From: Rajakaruna Joe [jrajakaruna@zapworld.com]  
Sent: Monday, January 30, 2012 12:49 PM  
To: kchiu@karco.com  
Subject: Fwd: Scan

----- Forwarded message -----

From: Mariya Petrovska <mpetrovska@zapworld.com>  
Date: Wed, 25 Jan 2012 15:55:11 -0800  
Subject: Scan  
To: Joseph Rajakaruna <jrajakaruna@zapworld.com>  
Cc: Michael Ringstad <mringstad@zapworld.com>

Jo,

per Mike's request please find attached.

Regards,

Mariya

-----

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1901 / Virus Database: 2109/4776 - Release Date: 01/30/12

**From:** Stu.Seigel@dot.gov  
**Sent:** Thursday, February 09, 2012 2:33 PM  
**To:** mhubbard@karco.com  
**Cc:** kchiu@karco.com; mdunlap@karco.com  
**Subject:** RE: ZAP

Do you have the time trace for these stops. Concerned with the rate of apply.

---

**From:** Matt Hubbard [mailto:mhubbard@karco.com]  
**Sent:** Thursday, February 09, 2012 4:19 PM  
**To:** Seigel, Stu (NHTSA)  
**Cc:** kchiu@karco.com; 'Mike Dunlap'  
**Subject:** ZAP

Hi Stu,

Enclosed is two stops for Zap as requested.

Best Regards,

Matthew S. Hubbard  
Quality Assurance Manager  
KARCO Engineering, LLC.  
(760)246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

---

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1913 / Virus Database: 2112/4799 - Release Date: 02/09/12

From: Kelsey Chiu [kchiu@karco.com]  
Sent: Monday, January 23, 2012 1:13 PM  
To: 'Rajakaruna Joe'  
Subject: RE: ZAP Xebra Testing

Joe,

We have not been able to start because we still have not received the signed quotation. We had planned on starting the testing tomorrow, as the person who is performing the testing is out today. Is there any way that you can check on the quotation and get back to me today?

Best Regards,

Kelsey Chiu  
Engineering Department Supervisor  
KARCO Engineering, LLC.  
(760) 246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

-----Original Message-----

From: Rajakaruna Joe [mailto:jrajakaruna@zapworld.com]  
Sent: Friday, January 20, 2012 4:10 AM  
To: kchiu@karco.com  
Subject: Re: ZAP Xebra Testing

Hello Kelsey,

When you get a chance can you let me know the testing is going?

thanks,  
Joe Rajakaruna

On 1/17/12, Kelsey Chiu <kchiu@karco.com> wrote:

> Joe,  
>  
> We did receive the check. Can you please have the quotation signed and  
> send it back to me?  
>  
>  
> Best Regards,  
>  
> Kelsey Chiu  
> Engineering Department Supervisor  
> KARCO Engineering, LLC.  
> (760) 246-1672

>  
> CONFIDENTIALITY NOTICE: The information contained in this email  
> message is protected under the Electronic Communications Privacy Act, 18 U.S.C.  
> 2310-2321. It is intended only for the use of the individual named  
> above and privileges are not waived by virtue of this having been sent  
> by email. If the person actually receiving this email or any other  
> reader is not the named recipient, or the employee or agent  
> responsible to deliver it to the named recipient, any use,  
> distribution or copying of the communication is strictly prohibited.  
> If you have received this email in error, please immediately contact  
> the sender at telephone 760 246-1672 and return the original message  
> to info@karco.com -----Original Message-----  
> From: Rajakaruna Joe [mailto:jrajakaruna@zapworld.com]  
> Sent: Tuesday, January 17, 2012 7:04 AM  
> To: kchiu@karco.com  
> Cc: Wenny Jiang; Steve Schneider; Michael Ringstad; Frank He; Alex  
> Campbell; Jessica; Jeff Schneider; mdunlap@karco.com  
> Subject: Re: ZAP Xebra Testing

>  
> Hello Kelsey,

>  
> We just wanted to verify if you received payment fro the Xebra FMVSS  
> 122 testing?

>  
> best regards,  
> Joe Rajakaruna

>  
> On 1/6/12, Kelsey Chiu <kchiu@karco.com> wrote:

>> Joe,  
>>  
>> You can drop off the car anytime, but we can not begin to test until  
>> we receive payment. Once we receive the payment we will begin on the  
>> vehicle and get it completed as fast as possible.

>>  
>> Also, please have the quotation signed and sent back, either by email  
>> or fax.

>>  
>> Thank you,

>>  
>> Kelsey Chiu  
>> Engineering Department Supervisor  
>> KARCO Engineering, LLC.  
>> (760) 246-1672

>>  
>> CONFIDENTIALITY NOTICE: The information contained in this email  
>> message is protected under the Electronic Communications Privacy Act, 18 U.S.C.  
>> 2310-2321. It is intended only for the use of the individual named  
>> above  
> and  
>> privileges are not waived by virtue of this having been sent by  
>> email. If the person actually receiving this email or any other  
>> reader is not the named recipient, or the employee or agent  
>> responsible to deliver it to the named recipient, any use,  
>> distribution or copying of the communication is strictly prohibited.

>> If you have received this email in error, please immediately contact  
>> the sender at telephone 760 246-1672 and return the original message  
>> to info@karco.com -----Original Message-----  
>> From: Rajakaruna Joe [mailto:jrajakaruna@zapworld.com]  
>> Sent: Friday, January 06, 2012 12:20 PM  
>> To: kchiu@karco.com  
>> Cc: Wenny Jiang; Steve Schneider; Michael Ringstad; Frank He; Alex  
> Campbell;  
>> Jessica; Jeff Schneider; mdunlap@karco.com  
>> Subject: Re: ZAP Xebra Testing

>>  
>> Hello Kelsey,

>>  
>> We would like to drop of the vehicle early next week possibly tuesday  
>> or wednesday. Our accounting has OK'ed the PO for KARCO. Please, let  
>> us know if this OK with you. We can make plans for the shipping  
>> details as soon as you give us the OK.

>>  
>> thanks,  
>> Joe Rajakaruna

>>  
>> On 1/4/12, Kelsey Chiu <kchiu@karco.com> wrote:

>>> Joe,  
>>>  
>>> Attached is the quotation that you requested. If you have any  
>>> questions please let me know.

>>>  
>>>  
>>> Best Regards,

>>>  
>>> Kelsey Chiu  
>>> Engineering Department Supervisor  
>>> KARCO Engineering, LLC.  
>>> (760) 246-1672

>>>  
>>> CONFIDENTIALITY NOTICE: The information contained in this email  
>>> message

> is  
>>> protected under the Electronic Communications Privacy Act, 18 U.S.C.  
>>> 2310-2321. It is intended only for the use of the individual named  
>>> above

>> and  
>>> privileges are not waived by virtue of this having been sent by email.

> If  
>>> the person actually receiving this email or any other reader is not  
>>> the named recipient, or the employee or agent responsible to deliver  
>>> it to

> the  
>>> named recipient, any use, distribution or copying of the  
>>> communication is strictly prohibited. If you have received this  
>>> email in error, please immediately contact the sender at telephone  
>>> 760 246-1672 and return the original message to info@karco.com

>>>  
>>> -----Original Message-----

>>> From: Kelsey Chiu [mailto:kchiu@karco.com]  
>>> Sent: Tuesday, January 03, 2012 4:59 PM  
>>> To: 'Rajakaruna Joe'  
>>> Cc: 'Wenny Jiang'; 'Steve Schneider'; 'Michael Ringstad'; 'Frank  
>>> He';  
>> 'Alex  
>>> Campbell'; 'Jessica'; 'Jeff Schneider'; 'mdunlap@karco.com'  
>>> Subject: RE: ZAP Xebra Testing  
>>>  
>>> Joe,  
>>>  
>>> It does not look like there is anything that should cause a problem.  
>>> I  
>> will  
>>> have a quotation ready for you tomorrow. Right now we are looking at  
>>> approximately 3 weeks to have everything completed. That may be  
>>> conservative, but we are in the middle of our busiest time right now.  
>>>  
>>> Best Regards,  
>>>  
>>> Kelsey Chiu  
>>> Engineering Department Supervisor  
>>> KARCO Engineering, LLC.  
>>> (760) 246-1672  
>>>  
>>> CONFIDENTIALITY NOTICE: The information contained in this email  
>>> message  
> is  
>>> protected under the Electronic Communications Privacy Act, 18 U.S.C.  
>>> 2310-2321. It is intended only for the use of the individual named  
>>> above  
>> and  
>>> privileges are not waived by virtue of this having been sent by email.  
> If  
>>> the person actually receiving this email or any other reader is not  
>>> the named recipient, or the employee or agent responsible to deliver  
>>> it to  
> the  
>>> named recipient, any use, distribution or copying of the  
>>> communication is strictly prohibited. If you have received this  
>>> email in error, please immediately contact the sender at telephone  
>>> 760 246-1672 and return the original message to info@karco.com  
>>> -----Original Message-----  
>>> From: Rajakaruna Joe [mailto:jrajakaruna@zapworld.com]  
>>> Sent: Tuesday, January 03, 2012 11:33 AM  
>>> To: kchiu@karco.com  
>>> Cc: Wenny Jiang; Steve Schneider; Michael Ringstad; Frank He; Alex  
>> Campbell;  
>>> Jessica; Jeff Schneider  
>>> Subject: ZAP Xebra Testing  
>>>  
>>> Hello Kelsey,  
>>>  
>>> We are interested to get a price quote for a full FMVSS 122 test

>>> plus the brake light indicator test listed in FMVSS 122.

>>>

>>> Our Xebra vehicle needs to be tested to comply with each of these  
>>> recall numbers: 1. 09V-177, 2. 09V-385.

>>>

>>> Recently, we have had this vehicle fitted with a new brake system  
>>> developed by Wilwood Brake systems and tested at there facility to  
>>> meet the initial test stopping distance of 43 ft from 30mph. In  
>>> addition, to this testing we have installed a brake light fault  
>>> indicator module to indicator the brake system faults light at  
>>> startup and failure.

>>>

>>> Please, let us know the cost of the listed tests and lead time to  
>>> get the testing done.

>>>

>>> best regards,  
>>> Joe Rajakaruna

>>> -----

>>> No virus found in this message.

>>> Checked by AVG - [www.avg.com](http://www.avg.com)

>>> Version: 2012.0.1901 / Virus Database: 2109/4720 - Release Date:  
>>> 01/03/12

>>>

>> -----

>> No virus found in this message.

>> Checked by AVG - [www.avg.com](http://www.avg.com)

>> Version: 2012.0.1901 / Virus Database: 2109/4726 - Release Date:  
>> 01/06/12

>>

>>

> -----

> No virus found in this message.

> Checked by AVG - [www.avg.com](http://www.avg.com)

> Version: 2012.0.1901 / Virus Database: 2109/4747 - Release Date:  
> 01/16/12

>

>

-----

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1901 / Virus Database: 2109/4754 - Release Date: 01/19/12

From: Kelsey Chiu [kchiu@karco.com]  
Sent: Wednesday, January 04, 2012 9:54 AM  
To: 'Rajakaruna Joe'  
Cc: 'Wenny Jiang'; 'Steve Schneider'; 'Michael Ringstad'; 'Frank He';  
'Alex Campbell'; 'Jessica'; 'Jeff Schneider'; 'mdunlap@karco.com'  
Subject: RE: ZAP Xebra Testing

Joe,

Attached is the quotation that you requested. If you have any questions please let me know.

Best Regards,

Kelsey Chiu  
Engineering Department Supervisor  
KARCO Engineering, LLC.  
(760) 246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

-----Original Message-----

From: Kelsey Chiu [mailto:kchiu@karco.com]  
Sent: Tuesday, January 03, 2012 4:59 PM  
To: 'Rajakaruna Joe'  
Cc: 'Wenny Jiang'; 'Steve Schneider'; 'Michael Ringstad'; 'Frank He'; 'Alex Campbell'; 'Jessica'; 'Jeff Schneider';  
'mdunlap@karco.com'  
Subject: RE: ZAP Xebra Testing

Joe,

It does not look like there is anything that should cause a problem. I will have a quotation ready for you tomorrow. Right now we are looking at approximately 3 weeks to have everything completed. That may be conservative, but we are in the middle of our busiest time right now.

Best Regards,

Kelsey Chiu  
Engineering Department Supervisor  
KARCO Engineering, LLC.  
(760) 246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com -----

Original Message-----

From: Rajakaruna Joe [mailto:jrajakaruna@zapworld.com]

Sent: Tuesday, January 03, 2012 11:33 AM

To: kchiu@karco.com

Cc: Wenny Jiang; Steve Schneider; Michael Ringstad; Frank He; Alex Campbell; Jessica; Jeff Schneider

Subject: ZAP Xebra Testing

Hello Kelsey,

We are interested to get a price quote for a full FMVSS 122 test plus the brake light indicator test listed in FMVSS 122.

Our Xebra vehicle needs to be tested to comply with each of these recall numbers: 1. 09V-177, 2. 09V-385.

Recently, we have had this vehicle fitted with a new brake system developed by Wilwood Brake systems and tested at there facility to meet the initial test stopping distance of 43 ft from 30mph. In addition, to this testing we have installed a brake light fault indicator module to indicator the brake system faults light at startup and failure.

Please, let us know the cost of the listed tests and lead time to get the testing done.

best regards,

Joe Rajakaruna

-----

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1901 / Virus Database: 2109/4720 - Release Date: 01/03/12

**From:** Stu.Seigel@dot.gov  
**Sent:** Thursday, February 09, 2012 2:15 PM  
**To:** mhubbard@karco.com  
**Cc:** kchiu@karco.com; mdunlap@karco.com  
**Subject:** RE: ZAP  
[Thanks for the info.](#)

---

**From:** Matt Hubbard [mailto:mhubbard@karco.com]  
**Sent:** Thursday, February 09, 2012 4:19 PM  
**To:** Seigel, Stu (NHTSA)  
**Cc:** kchiu@karco.com; 'Mike Dunlap'  
**Subject:** ZAP

Hi Stu,

Enclosed is two stops for Zap as requested.

Best Regards,

Matthew S. Hubbard  
Quality Assurance Manager  
KARCO Engineering, LLC.  
(760)246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

---

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1913 / Virus Database: 2112/4799 - Release Date: 02/09/12

**From:** Matt Hubbard [mhubbard@karco.com]  
**Sent:** Thursday, February 09, 2012 1:19 PM  
**To:** Stu.Seigel@dot.gov  
**Cc:** kchiu@karco.com; 'Mike Dunlap'  
**Subject:** ZAP  
Hi Stu,

Enclosed is two stops for Zap as requested.

Best Regards,

Matthew S. Hubbard  
Quality Assurance Manager  
KARCO Engineering, LLC.  
(760)246-1672

CONFIDENTIALITY NOTICE: The information contained in this email message is protected under the Electronic Communications Privacy Act, 18 U.S.C. 2310-2321. It is intended only for the use of the individual named above and privileges are not waived by virtue of this having been sent by email. If the person actually receiving this email or any other reader is not the named recipient, or the employee or agent responsible to deliver it to the named recipient, any use, distribution or copying of the communication is strictly prohibited. If you have received this email in error, please immediately contact the sender at telephone 760 246-1672 and return the original message to info@karco.com

---

No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2012.0.1913 / Virus Database: 2112/4799 - Release Date: 02/09/12