



U.S. Department  
of Transportation  
**National Highway  
Traffic Safety  
Administration**

1200 New Jersey Avenue SE  
Washington, DC 20590

November 23, 2010

MR. RON POST  
PRODUCT SAFETY ADMINISTRATOR  
WINNEBAGO INDUSTRIES, INC.  
P.O. BOX 152  
FOREST CITY, IA 50436

NVS-215kjs  
10V-525

SUBJECT: REFRIGERATORS/POSSIBLE FIRE

DEAR MR. POST:

This letter serves to acknowledge Winnebago Industries, Inc.'s (Winnebago) notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall campaign which will be conducted pursuant to Federal law for the vehicles listed below.

Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

**Makes/Models/Model Years:**

ITASCA/ELLIPSE/1996-2011  
ITASCA/HORIZON/1996-2011  
ITASCA/MERIDIAN/1996-2011  
ITASCA/SUNCRUISER/1996-2011  
ITASCA/SUNFLYER/1996-2011  
ITASCA/SUNOVA/1996-2011  
ITASCA/SUNRISE/1996-2011  
ITASCA/SUNSTAR/1996-2011  
WINNEBAGO/ADVENTURER/1996-2011  
WINNEBAGO/BRAVE/1996-2011  
WINNEBAGO/CHIEFTAIN/1996-2011  
WINNEBAGO/JOURNEY/1996-2011  
WINNEBAGO/JOURNEY DL/1996-2011  
WINNEBAGO/LUXOR/1996-2011  
WINNEBAGO/SIGHTSEER/1996-2011  
WINNEBAGO/ULTIMATE ADVANTAGE/1996-2011

WINNEBAGO/ULTIMATE FREEDOM/1996-2011  
WINNEBAGO/VECTRA/1996-2011  
WINNEBAGO/VECTRA GRAND TOUR/1996-2011  
WINNEBAGO/VISTA/1996-2011

**NHTSA Campaign Number:** 10V-525

**Mfg's Report Date:** October 26, 2010 and amended report dated November 15, 2010

**Components:** EQUIPMENT:RECREATIONAL VEHICLE

**Potential Number of Units Affected:** 18,461

**Summary:**

WINNEBAGO IS RECALLING CERTAIN RECREATIONAL VEHICLES EQUIPPED WITH 1200-SERIES NORCOLD REFRIGERATORS. THE POPULATION OF REFRIGERATORS BEING ADDRESSED CONTAINS EITHER A SENSING ALGORITHM OR THERMAL SWITCH TO SHUT OFF POWER TO THE REFRIGERATOR WHEN HIGH TEMPERATURES ARE DETECTED IN ORDER TO PREVENT A POTENTIAL FIRE. THE RESPONSE TIMES OF THE SENSOR ALGORITHM AND THERMAL SWITCH DEVICES TO STOP POWER ARE NOT SUFFICIENT.

**Consequence:**

THE SENSING ALGORITHM OR THERMAL SWITCH INSTALLED TO SHUT OFF POWER TO THE REFRIGERATOR WHEN HIGH TEMPERATURES ARE DETECTED DUE TO A POSSIBLE HYDROGEN GAS LEAK MAY NOT SHUT OFF IN SUFFICIENT TIME TO PREVENT A FIRE.

**Remedy:**

WINNEBAGO IS WORKING WITH NORCOLD TO IDENTIFY AND NOTIFY ANY AFFECTED OWNERS. OWNERS WILL BE INSTRUCTED TO CONTACT NORCOLD DEALERS TO RECEIVE THE REMEDY FREE OF CHARGE. PLEASE SEE NORCOLD'S DEFECT REPORT 10E-049 FOR ADDITIONAL INFORMATION. THE RECALL IS EXPECTED TO BEGIN DURING DECEMBER 2010. OWNERS MAY CONTACT NORCOLD AT 1-800-767-9101 OR WINNEBAGO AT 1-641-585-3535.

**Notes:**

OWNERS MAY ALSO CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION'S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY 1-800-424-9153), OR GO TO [HTTP://WWW.SAFERCAR.GOV](http://www.safercar.gov).

The information in your defect report(s) appears to satisfy the requirements of 49 CFR 573.6.

We have reviewed your proposed owner letter and it meets the requirements of 49 CFR Part 577. Copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

As stated in your report, Norcold will be handling the owner notification, remedy, and quarterly reporting for this campaign. However, please be advised that 49 CFR 573.6 provides that the vehicle manufacturer is responsible for any safety related defect or any noncompliance in the vehicle or any item of original equipment. If Norcold's campaign is not satisfactory, you may be required to conduct a follow-up notification.

Your contact for this recall will be Kelly Schuler, who may be reached by phone at 202-366-5227, by email at [Kelly.Schuler@dot.gov](mailto:Kelly.Schuler@dot.gov), or through the office email at [RMD.ODI@dot.gov](mailto:RMD.ODI@dot.gov). We look forward to working with you for successful completion of this recall campaign.

Sincerely,

A handwritten signature in black ink, appearing to read "Jennifer Timian". The signature is fluid and cursive, with the first name being the most prominent.

Jennifer Timian  
Chief, Recall Management Division  
Office of Defects Investigation  
Enforcement