



U.S. Department  
of Transportation

**National Highway  
Traffic Safety  
Administration**

1200 New Jersey Ave, SE  
Washington, DC 20590

February 19, 2014

Michael Anderson  
Nu Wa Industries, Inc.  
3701 Johnson Road  
Chanute, KS 66720

NVS-215mr  
13V-273

Dear Mr. Anderson:

During a recent audit of our recall files we identified a considerable discrepancy in safety recall 13V-273 between the number of products Nu Wa Industries, Inc. reported it would be recalling, and the number it reported in its quarterly completion as campaigned. Specifically, Nu Wa Industries, Inc. notified us that one of products were being recalled, but the 3<sup>rd</sup> quarter report indicates 128 of products were campaigned.

Please explain this discrepancy and confirm the correct number of products being recalled so that we may adjust our recalls as necessary. A copy of the information you provide will be posted in the public file for this recall. If Nu Wa Industries, Inc. did notify us of an adjustment to the population but our files were not updated, we sincerely apologize, and request a copy of your notification.

We respectfully request that Nu Wa Industries, Inc. review its population totals and other information it has reported on its recall on a periodic basis so as to avoid future discrepancies, and so we can continue to work as productively as possible in ensuring safety critical campaigns are as successful as possible. Nu Wa Industries, Inc. is reminded that it is obligated to notify our office within five business days of when it has new information that update or corrects the products it told us it intends to recall, the number of those products, the planned remedy, or the estimated date(s) for notifying owners and purchasers.

Thank you for your kind and prompt attention,

A handwritten signature in black ink that reads "Michelle Rice".

Michelle Rice  
Recall Management Division  
Office of Defects Investigation  
Enforcement